

Epifanes Nonskid Beads

Additive for Epifanes Urethane topcoats

Type	Poly-propylene
Properties	A premium grade poly-propylene in a controlled particle size. These beads are a stir in powder that are easily dispersed under mixing.
Field of application	Additive to be added to Epifanes Mono-urethane and Epifanes Poly-urethane Yacht coatings to create a Nonskid Deckcoating. Also suited for use in Epifanes Poly-urethane Clear Gloss and Epifanes PP Varnish Extra
Colour	White, absorbs color of base material
Appearance	Free-flowing powder
Specific gravity	0,93gr/cm ³
Average particle size	130 µm
Melting point	155°C.
VOC - level	n.a.
Packing	20 grs. - 1 kg.
Shelf life	In closed container stored in a dark and dry location between 5 - 25°C: unlimited.
Mixing instructions	Add 20 grs. Epifanes Nonskid Beads to 750ml Epifanes Mono-urethane Yacht Coating or 750gr. Epifanes Poly-urethane Yachtcoating while stirring the paint. Allow the mixture 10-15 minutes before using the mixture.
Application recommendations	Apply paint to which additive is added by short haired roller. Allow applied paint 72 hours to cure.
Practicle coverage	20 grs is sufficient for 750ml Epifanes Mono-urethane Yacht Coating or 750gr. Epifanes Poly-urethane Yachtcoating

Although the facts and suggestions in this product information sheet are based on our own research and field experiences and are believed reliable, we cannot simply be held responsible for performance or results obtained through the use of this product. Ineffectiveness or other unintended consequences may result, because of such factors as weather, conditions, presence or other materials or the manner of preparation, use or application all of which are beyond W. Heeren & Zoon's control. All such risks are assumed by user.

DISCLAIMER OF WARRANTIES. Seller makes no express warranties.

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXCLUDED. In the event a warranty is created by law, buyer's EXCLUSIVE REMEDY shall be the replacement of any defective product. No other remedy (including, but not limited to, incidental or consequential damages for lost profits, lost sales, injury to person or property, or any other incidental or consequential loss) shall be available to buyer.

October 2012